


The European Patent Office PCT Department Erhardtstrasse 27 D-80331 Munich



TRADE MARKS AND DESIGNS

Kaj L Henriksen \* \* Henrik Jespersen \* \* Claus Hyllinge <sup>c</sup> Birgitte Waagepetersen ° ° Christian Kragelund ° ° Peter Larsen ° ° Kristiane B Vandborg Charlotte Munck <sup>o</sup> Sanna D Hartvigsen renewals Sonja Nielsen assignments

**SEARCHES** Louise Dalsgaard ACCOUNTING/DP Steffen Hussing

Member of The Association of Danish Patent Agents

\* European Palent Altorney <sup>o</sup> European Trade Mark

03 SEP LUVA

25 September 2003

## BY COURIER

Dear Sirs

Germany

International patent application No PCT/DK 03/00133

Applicant: ECCO SKO A/S et al.

International classification: IPC B29D 31/50

My ref: 76843 Jen/cor

The European Patent Office is hereby requested to carry out a detailed preliminary examination according to the enclosed DEMAND.

The official fee for the examination should be deducted from my account as per the enclosed fee calculation sheet.

I further enclose substitute pages 2 and 16 in which a linguistic defect has been remedied, as also shown in the attached draft.

Yours faithfully

Peter Kim Jensen Representative of the applicant

Encs

Telefax

The demand must be filed directly with the competent International Preliminary Examining Authority or, if two or more Authorities are competent, with the one chosen by the applicant. The full name or two-letter code of that Authority may be indicated by the applicant on the line below.

IPEA/EPO

# **PCT**

**CHAPTER II** 

## **DEMAND**

under Article 31 of the Patent Cooperation Treaty:

The undersigned requests that the international application specified below be the subject of international preliminary examination according to the Patent Cooperation Treaty and hereby elects all eligible States (except where otherwise indicated).

For International Preliminary Examining Authority use only								
Identification of IPEA		Date of receipt of DEMAND						
Box No. I IDENTIFICATION OF T	HE INTERNATIONAL	APPLICATION	Applicant's or agent's file reference					
International application No DK03/00133	International filing date (day/month/year) 04 March 2003 (04.03.03)		(Earliest) Priority date (day/month/year) 04 March 2002 (04.03.02)					
Title of invention  Method of moulding soles on shoe uppers, a shoe welt and a mould for carrying out the method.								
Box No. 11 APPLICANT(S)								
Name and address: (Family name followed by The address must include p	given name; for a legal entity, oxtal code and name of country,	fill official designation.	Telephone No +45 74 91 16 25					
ECCO Sko A/S Industrivej 5			Facsimile No +45 74 71 03 06					
DK-6261 Bredebro Denmark			Teleprinter No					
- Community			Applicant's registration No with the Office					
State (that is. country) of nationality:	State (that is, counts DK	untry) of residence:						
Name and address: (Family name followed by given name: for a legal entity: full official designation. The address must include postal code and name of country.)  SOMMERLUND, Jens Erik  Sct. Hansvej 14  DK-6261 Bredebro  Denmark								
State (that is. country) of nationality:		State (that is, country) of residence: DK						
Name and address: (Family name followed by HANSEN, Hans Christian Ellum Bygade 23 DK-6240 Løgumkloster Denmark	given name. for a legal ently, f	full official designation. The	address must include postal code and name of country)					
State (that is, country) of nationality:		State (that is, country) of residence: DK						
Further applicants are indicated on a continuation sheet								

Sheet No. 2	International application No. DK03/00133					
Box No. III AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE						
The following person is agent common representative						
and X has been appointed earlier and represents the applicant(s) also for international p	reliminary examination					
is hereby appointed and any earlier appointment of (an) agent(s)/common represe						
is hereby appointed and any earner appointment of (an) agent(s) common representative is never to vocadillist in the procedure before the International Preliminary Examining Authority, in addition to						
the agent(s)/common representative appointed earlier	many Examining Hamonity, in Education to					
Name and address: (Family name followed by given name: for a legal entity, full official designation The address must include postal code and name of country)	Telephone No					
	+45 33 15 45 14					
CHAS. HUDE A/S H.C. Andersens Boulevard 33	Facsimile No					
DK-1780 Copenhagen V	+45 33 15 45 35 Teleprinter No					
Denmark	receptation No					
	Agent's registration No with the Office					
Address for correspondence: Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.						
Box No. IV BASIS FOR INTERNATIONAL PRELIMINARY EXAMINATION						
Statement concerning amendments:*	_					
1 The applicant wishes the international preliminary examination to start on the basis of:						
the international application as originally filed						
the description as originally filed						
as amended under Article 34						
the claims as originally filed						
as amended under Article 19 (together with any accompany)	ng statement)					
as amended under Article 34						
the drawings  as originally filed						
as amended under Article 34						
2 The applicant wishes any amendment to the claims under Article 19 to be considered.	lered as reversed					
3 The applicant wishes the start of the international preliminary examination to be	postponed until the expiration of 20 months					
from the priority date unless the International Preliminary Examining Authority receives a copy of any amendments made under Article 19 or a notice from the applicant that he does not wish to make such amendments (Rule 69 1(d)) (This checkbox may be marked only where the time limit under Article 19 has not yet expired)						
* Where no check-box is marked, international preliminary examination will start on	the basis of the international application					
as originally filed or, where a copy of amendments to the claims under Article 19 and/or amendments of the international application under Article 34 are received by the International Preliminary Examining Authority before it has begun to draw up a written opinion or the international preliminary examination report, as so amended						
Language for the purposes of international preliminary examination: English						
which is the language in which the international application was filed						
which is the language of a translation furnished for the purposes of international search						
which is the language of publication of the international application.						
which is the language of the translation (to be) furnished for the purposes of international preliminary examination						
Box No. V ELECTION OF STATES						
The applicant hereby elects all eligible States (that is, all States which have been designated and which are bound by Chapter II of the PCT)						
excluding the following States which the applicant wishes not to elect:						

Sheet No 3			International application No. DK03/00133						
Box No. VI CHECK LIST									
The demand is accompanied by the following elements, in the language referred to in Box No IV, for the purposes of international preliminary examination:				For International Preliminary Examining Authority use only received not received					
l translation of international application	:		sheets						
2 amendments under Article 34	:		2 sheets						
3 copy (or, where required, translation) of amendments under Article 19	:		sheets						
4 copy (or, where required, translation) of statement under Article 19	:		sheets						
5 letter	:		l sheets						
6 other (specify)	:		sheets						
The demand is also accompanied by the item(s) marked below:									
l 🔀 fee calculation sheet		5. 🔲	statement explaining lack of signature						
2 original separate power of attorney		6. 🗀	sequence listing	ings in computer readable form					
3. original general power of attorney		7.		ibles in computer readable form related to					
4 copy of general power of attorney; reference number, if any:		sequence listings  8 other (specify):							
Box No. VII SIGNATURE OF APPLICANT, AGENT OR COMMON REPRESENTATIVE  Next to each signature, indicate the name of the person signing and the capacity in which the person signs (if such capacity is not obvious from reading the demand)									
Peter Kim Jensen CHAS. HUDE A/S									
·									
For Internati	onal Prelimina	ry Examin	ing Authority use	only —					
1 Date of actual receipt of DEMAND:									
Adjusted date of receipt of demand due to CORRECTIONS under Rule 60 I(b):									
The date of receipt of the demand is AFTER the expiration of 19 months from the priority date and item 4 or 5, below, does not apply  The applicant has been informed accordingly.									
The date of receipt of the demand is WITHIN the period of 19 months from the priority date as extended by virtue of Rule 80 5									
Although the date of receipt of the demand is after the expiration of 19 months from the priority date, the delay in arrival is EXCUSED pursuant to Rule 82									
For International Bureau use only									
Demand received from IPEA on:									

GB 840.029 discloses a method of the above type of simultaneous moulding of a welt and a sole onto a shoe upper. In this method a two-part welt is used, each welt half substantially corresponding to half of the welt on the finished shoe. In the open mould position, one half of the welt is inserted into a groove in the inner surface of each upper mould member. Adjacent the groove, each of the upper mould members is provided with a protection to support the welt during the moulding process. The mould halves are then closed around the shoe upper arranged on a last, whereby the welts are made to abut the lower face of the shoe upper. Moulding material is subsequently poured into the cavity formed by the shoe upper and the upper mould member, a piston then being inserted into the cavity and the sole is formed and moulded onto the shoe upper. The use of a two-part welt involves a risk of the sole material flowing in between the welts and the shoe upper at the ends of the welt halves at the heel and toe sections of the shoe. It is furthermore time-consuming to arrange one welt half in each of the halves of the upper mould member.

15

20

# Description of the Invention

The object of the invention is to provide a method of the above type allowing for a comparatively simple and reliable fitting of a welt without causing the sole material to flow in between the shoe welt and the shoe upper such that it becomes visible on the finished shoe.

The method according to the invention is characterised in that:

- 25 A an annular welt is provided having an inner outline substantially corresponding to the outer outline of the lower side section of the shoe upper which corresponds to the position of the welt on the finished shoe,
  - B the welt is placed in the mould in the open position of the mould,

30

### Claims

1. A method of moulding soles of a plastic material, eg polyurethane, and shoe welts on shoe uppers by means of a mould (3) so as to provide the finished shoe with a welted appearance, said mould (3) including a last (2), upon which a shoe upper is arranged, an upper mould part (5) divided along a longitudinal middle plane and thus including two halves (5a, 5b) being laterally movable in relation to a lower mould part (4) between an open and a closed mould position, and a lower mould part (4) being vertically movable in relation to the upper mould part (5) between an open and a closed mould position, characterised in that

A - an annular welt (6) is provided having an inner outline substantially corresponding to the outer outline of the lower side section of the shoe upper which corresponds to the position of the welt on the finished shoe,

15

B - the welt (6) is placed in the mould in the open position of the mould,

C - the two halves (5a, 5b) of the upper mould part are brought together, whereby an upper projection (15) on each of the halves extends over the welt (6),

20

- D the lower mould part (4) is moved into its closed position, a circumferential support face (7, 7') on the upper face of the lower mould part (4) co-acting with a pressure surface (17) on the lower face of the projection (15) on each of the upper mould part halves (5a, 5b) in such a manner that the portion of the welt (6) facing the shoe upper is tilted inwards and downwards to bring the inner end face of the welt (6) into sealing engagement with the lower side section of the shoe upper (1) and
- E the shoe sole is moulded in a manner known per se by supplying a plastic material to the cavity of the mould.



2

GB 840.029 discloses a method of the above type of simultaneous moulding of a welt and a sole onto a shoe upper. In this method a two-part welt is used, each welt half substantially corresponding to half of the welt on the finished shoe. In the open mould position, one half of the welt is inserted into a groove in the inner surface of each upper mould member. Adjacent the groove, each of the upper mould members is provided with a protection to support the welt during the moulding process. The mould halves are then closed around the shoe upper arranged on a last, whereby the welts are made to abut the lower face of the shoe upper. Moulding material is subsequently poured into the cavity formed by the shoe upper and the upper mould member, a piston then being inserted into the cavity and the sole is formed and moulded onto the shoe upper. The use of a two-part welt involves a risk of the sole material flowing in between the welts and the shoe upper at the ends of the welt halves at the heel and toe sections of the shoe. It is furthermore time-consuming to arrange one welt half in each of the halves of the upper mould member.

15

## Description of the Invention

The object of the invention is to provide a method of the above type allowing for a comparatively simple and reliable fitting of a welt without causing the sole material to flow in between the shoe welt and the shoe upper such that it becomes visible on the finished shoe.

The method according to the invention is characterised in that:

is provided

- A an annular welt having an inner outline substantially corresponding to the outer outline of the lower side section of the shoe upper which corresponds to the position of the welt on the finished shoe,
  - B the welt is placed in the mould in the open position of the mould,

### Claims

- 1. A method of moulding soles of a plastic material, eg polyurethane, and shoe welts on shoe uppers by means of a mould (3) so as to provide the finished shoe with a welted appearance, said mould (3) including a last (2), upon which a shoe upper is arranged, an upper mould part (5) divided along a longitudinal middle plane and thus including two halves (5a, 5b) being laterally movable in relation to a lower mould part (4) between an open and a closed mould position, and a lower mould part (4) being vertically movable in relation to the upper mould part (5) between an open and a closed mould position, characterised in that
  - A an annular welt (6) having an inner outline substantially corresponding to the outer outline of the lower side section of the shoe upper which corresponds to the position of the welt on the finished shoe,

15

- B the welt (6) is placed in the mould in the open position of the mould,
- C the two halves (5a, 5b) of the upper mould part are brought together, whereby an upper projection (15) on each of the halves extends over the welt (6),

20

- D the lower mould part (4) is moved into its closed position, a circumferential support face (7, 7') on the upper face of the lower mould part (4) co-acting with a pressure surface (17) on the lower face of the projection (15) on each of the upper mould part halves (5a, 5b) in such a manner that the portion of the welt (6) facing the shoe upper is tilted inwards and downwards to bring the inner end face of the welt (6) into sealing engagement with the lower side section of the shoe upper (1) and
- E the shoe sole is moulded in a manner known per se by supplying a plastic mate-30 rial to the cavity of the mould.